

Mapping Bibliography

Search Keyed to 30X60'

Manti

Tuesday, December 31, 2002

Ref#

- 1745 Andrews, D.A.; Hunt, C.B., 1948, Geologic map of eastern and southern Utah, U.S. Geological Survey Oil and Gas Investigations Preliminary Map OM-70. Scale: 500000
Latitude: N: 420000 S: 370000 Longitude: W 1140000 E: 1090000
- 1507 author unknown, , Preliminary Geologic map of the San Rafael Swell, Emery County, Utah, unknown unpublished map . Scale: 47500
Latitude: N: 390730 S: 383000 Longitude: W 1110900 E: 1103000
- 706 Babisak, Julius, 1949, The geology of the southeastern portion of the Gunnison Plateau, Utah, Columbus, Ohio State University M.S. thesis 97 p.. Scale: 31680
Latitude: N: 392100 S: 390900 Longitude: W 1114630 E: 1113900
- 1964 Bartsch-Winkler, Susan; Dickerson, R.P.; Barton, H.N.; McCafferty, A.E.; Grauch, V.J.S.; Koyuncu, H.; Lee, K.; Duval, J.S., 1990, Mineral resources of the San Rafael Swell wilderness study areas, including Muddy Creek, Crack Canyon, San Rafael Reef, Mexican Mountain and Sids Mountain wilderness study areas, Emery County, Utah, U.S. Geological Survey Bulletin 1752, 56 p.. Scale: 62500
Latitude: N: 390730 S: 383000 Longitude: W 1110730 E: 1102230
- 681 Baughman, R.L., 1959, The geology of the Musinia graben area, Sevier and Sanpete Counties, Utah, Columbus, Ohio State University M.S. thesis 110 p.. Scale: 24000
Latitude: N: 390400 S: 385130 Longitude: W 1113600 E: 1113000
- 2239 Baum, R.L.; Fleming, R.W., 1989, Landslides and debris flows in Ephraim Canyon, central Utah, U.S. Geological Survey Bulletin 1842-C, 12 p., pl. C1. Scale: 12000
Latitude: N: 392230 S: 391830 Longitude: W 1113300 E: 1112730
- 709 Bonar, C.M., 1948, Geology of the Ephraim area (Utah), Columbus, Ohio State University M.S. thesis 116 p.. Scale: 31680
Latitude: N: 392530 S: 391930 Longitude: W 1113530 E: 1112800
- 2580 Brown, R.P., 1975, A regional gravity survey of the Sanpete-Sevier valleys and adjacent areas in Utah, Salt Lake City, University of Utah M.S. thesis fig. 5. Scale: 400000
Latitude: N: 400000 S: 384500 Longitude: W 1122000 E: 1111500
- 2523 Brown, T.L.; Sanchez, J.D.; Ellis, E.G., 1987, Stratigraphic framework and coal resources of the upper Cretaceous Blackhawk Formation in the East Mountain and Gentry Mountain areas of the Wasatch Plateau coal field, Manti 30'x60' quadrangle, Emery, Carbon, and Sanpete Counties, Utah, U.S. Geological Survey Coal Investigations Map C-94-D, sh. 1. Scale: 24000
Latitude: N: 393000 S: 392230 Longitude: W 1111500 E: 1110000
- 2622 Chew, R.T. III, 1956, Uranium and Vanadium deposits of the Colorado Plateau that produced more than 1,000 tons of ore through June 30, 1955, U.S. Geological Survey Mineral Investigations Field Studies Map MF-54. Scale: 750000
Latitude: N: 403000 S: 363000 Longitude: W 1134500 E: 1070000
- 2618 Cluff, L.S.; Brogan, G.E.; Glass, C.E., 1970, in Cluff, L.S., Brogan, G.E., and Glass, C.E., Earthquake

fault

investigation and evaluation Wasatch Fault, Woodward, Clyde, and Assoc. for Utah Geological and
Mineralogical Survey Contract Report northern portion - southern portion. Scale: 24000

Latitude: N: 413700

S: 391230

Longitude: W 1120500

E: 1113100

Ref#

- 2575 Currey, D.R.; Atwood, G.; Mabey, D.R., 1984, Major levels of Great Salt Lake and Lake Bonneville, Utah Geological and Mineral Survey Map 73. Scale: 750000
Latitude: N: 421500 S: 380000 Longitude: W 1141000 E: 1115000
- 1052 Davis, F.D.; Doelling, H.H., 1977, Coal drilling at Trail Mountain, North Horn Mountain, and Johns Peak areas, Wasatch Plateau, Utah, Utah Geological and Mineral Survey Bulletin 112, 90 p., pl. 1. Scale: 63360
Latitude: N: 392600 S: 390730 Longitude: W 1111900 E: 1110730
- 377 Detterman, J.S., 1956, Photogeologic map of the Castle Dale-16 [Molen] quadrangle, Emery County, Utah, U.S. Geological Survey Miscellaneous Investigations Series Map I-124. Scale: 24000
Latitude: N: 390730 S: 390000 Longitude: W 1110730 E: 1110000
- 1656 Doelling, H.H., 1972, in Doelling, H.H., Central Utah coal fields Coal and geology map, Castle Dale NW [The Cap] quadrangle, Utah Geological and Mineralogical Survey Monograph 3, p. 154-155. Scale: 42240
Latitude: N: 391500 S: 390730 Longitude: W 1111500 E: 1110730
- 1657 Doelling, H.H., 1972, in Doelling, H.H., Central Utah coal fields Coal and geology map, Castle Dale SW [Ferron] quadrangle, Utah Geological and Mineralogical Survey Monograph 3, p. 160-161. Scale: 42240
Latitude: N: 390730 S: 390000 Longitude: W 1111500 E: 1110730
- 1659 Doelling, H.H., 1972, in Doelling, H.H., Central Utah coal fields Coal and geology map, Ferron Canyon quadrangle, Utah Geological and Mineralogical Survey Monograph 3, p. 170-171. Scale: 42240
Latitude: N: 391500 S: 390730 Longitude: W 1112230 E: 1111500
- 1660 Doelling, H.H., 1972, in Doelling, H.H., Central Utah coal fields Coal and geology map, Flagstaff Peak quadrangle, Utah Geological and Mineralogical Survey Monograph 3, p. 176-177. Scale: 42240
Latitude: N: 390730 S: 390000 Longitude: W 1112230 E: 1111500
- 1661 Doelling, H.H., 1972, in Doelling, H.H., Central Utah coal fields Coal and geology map, Hiawatha NE [Hiawatha] quadrangle, Utah Geological and Mineralogical Survey Monograph 3, p. 182-183. Scale: 42240
Latitude: N: 393000 S: 392230 Longitude: W 1110730 E: 1110000
- 1665 Doelling, H.H., 1972, in Doelling, H.H., Central Utah coal fields Coal and geology map, Hiawatha NE [Rilda Canyon] quadrangle, Utah Geological and Mineralogical Survey Monograph 3, p. 136-137. Scale: 42240
Latitude: N: 393000 S: 392230 Longitude: W 1111500 E: 1110730
- 1663 Doelling, H.H., 1972, in Doelling, H.H., Central Utah coal fields Coal and geology map, Hiawatha SE [Red Point] quadrangle, Utah Geological and Mineralogical Survey Monograph 3, p. 196-197. Scale: 42240
Latitude: N: 392230 S: 391500 Longitude: W 1110730 E: 1110000
- 1664 Doelling, H.H., 1972, in Doelling, H.H., Central Utah coal fields Coal and geology map, Hiawatha SW [Mahogany Point] quadrangle, Utah Geological and Mineralogical Survey Monograph 3, p. 204-205. Scale: 42240
Latitude: N: 392230 S: 391500 Longitude: W 1111500 E: 1110730

1651 Doelling, H.H., 1972, in Doelling, H.H., Central Utah coal fields Coal and geology map, Sterling quadrangle, Utah

Geological and Mineralogical Survey Monograph 3, p. 44-45. Scale: 42240

Latitude: N: 391500 S: 390730

Longitude: W 1114500 E: 1113730

Ref#

- 1652 Doelling, H.H., 1972, in Doelling, H.H., Central Utah coal fields Coal and geology map, Wales quadrangle, Utah
Geological and Mineralogical Survey Monograph 3, p. 50-51. Scale: 42240
Latitude: N: 393000 S: 392230 Longitude: W 1114500 E: 1113730
- 1094 Doelling, H.H., 1979, Sandstone spar in the Trail Mountain mine, Emery County, Utah, Utah Geological and Mineral Survey Utah Geology v. 6, no. 2, p. 57-68, fig. 2. Scale: 84480
Latitude: N: 392200 S: 391500 Longitude: W 1111730 E: 1110830
- 580 Ellis, E.G., 1981, Geologic map and coal sections of the Ferron Canyon quadrangle, Sanpete and Emery Counties, Utah, U.S. Geological Survey Open-File Report OF 81-319, 2 pl.. Scale: 24000
Latitude: N: 391500 S: 390730 Longitude: W 1112230 E: 1111500
- 582 Ellis, E.G., 1981, Geologic map and coal sections of the The Cap quadrangle, Emery County, Utah, U.S. Geological Survey Open-File Report OF 81-612, 3 pl.. Scale: 24000
Latitude: N: 391500 S: 390730 Longitude: W 1111500 E: 1110730
- 564 Ellis, E.G.; Frank, J.R., 1981, Geologic map and coal sections of the Mahogany Point quadrangle, Emery County, Utah, U.S. Geological Survey Open-File Report OF 81-718, 3 pl.. Scale: 24000
Latitude: N: 392230 S: 391500 Longitude: W 1111500 E: 1110730
- 572 Ellis, E.G.; Frank, J.R., 1981, Geologic map and coal sections of the Red Point quadrangle, Emery County, Utah, U.S. Geological Survey Open-File Report OF 81-1356, 3 pl.. Scale: 24000
Latitude: N: 392230 S: 391500 Longitude: W 1110730 E: 1110000
- 744 Faulk, N.R., 1948, The Green River Formation in the Manti-Spring City area of central Utah, Columbus, Ohio
State University M.S. thesis 84 p.. Scale: 31680
Latitude: N: 393000 S: 391500 Longitude: W 1114500 E: 1113000
- 2542 Finch, W.I. (Compiler), 1955, Preliminary geologic map showing the distribution of uranium deposits and principal ore-bearing formations of the Colorado Plateau region, U.S. Geological Survey Mineral Investigations
Field Studies Map MF-16. Scale: 500000
Latitude: N: 403000 S: 341500 Longitude: W 1134500 E: 1070000
- 843 Gilliland, W.N., 1948, Geology of the Gunnison quadrangle, Utah, Columbus, Ohio State University Ph.D.
dissertation 177 p.. Scale: 31680
Latitude: N: 391500 S: 390000 Longitude: W 1120000 E: 1114500
- 1403 Gilliland, W.N., 1951, Geology of the Gunnison quadrangle, Utah, Lincoln, University of Nebraska Studies no.
8, 101 p., pl. 2. Scale: 62500
Latitude: N: 391500 S: 390000 Longitude: W 1120000 E: 1114500
- 1727 Gilluly, James, 1929, in Contributions to Economic Geology, 1928 Geology and oil and gas prospects of part of the San Rafael Swell, Utah, U.S. Geological Survey Bulletin 806-C, p. 69-130, pl. 30. Scale: 126720
Latitude: N: 391700 S: 381900 Longitude: W 1111800 E: 1102100
- 2559 Grauch, V.J.S.; Plesha, J.L., 1989, Aeromagnetic maps of the Uinta and Piceance Basins and vicinity, Utah and Colorado, U.S. Geological Survey Miscellaneous Field Studies Map MF-2008-C, 2 sheets, plates 1 and 2.
Scale: 500000

Latitude: N: 410000 S: 380000 Longitude: W 1130000 E: 1063500

923 Hardy, C.T., 1948, Stratigraphy and structure of a portion of the western margin of the Gunnison Plateau,

Utah, Columbus, Ohio State University M.S. thesis 81 p.. Scale: 31680

Latitude: N: 392230 S: 391500 Longitude: W 1115230 E: 1114500

Ref#

- 1103 Hardy, C.T., 1952, Eastern Sevier Valley, Sevier and Sanpete Counties, Utah, Utah Geological and Mineralogical Survey Bulletin 43, 98 p., pl. 4. Scale: 200000
Latitude: N: 391000 S: 384500 Longitude: W 1120000 E: 1113730
- 1104 Hardy, C.T., 1952, Eastern Sevier Valley, Sevier and Sanpete Counties, Utah, Utah Geological and Mineralogical Survey Bulletin 43, 98 p., pl. 5. Scale: 63360
Latitude: N: 391115 S: 390520 Longitude: W 1114722 E: 1114135
- 1030 Hardy, C.T.; Zeller, H.D., 1953, Geology of the west-central part of the Gunnison Plateau, Utah, Geological Society of America Bulletin v. 64, p. 1261-1278, pl. 1. Scale: 86400
Latitude: N: 393000 S: 391500 Longitude: W 1115230 E: 1114500
- 2540 Harris, A.G.; Wardlaw, B.R.; Rust, C.C., Merrill, G.K., 1980, Maps for assessing thermal maturity (conodont color alteration index maps) in Ordovician through Triassic rocks in Nevada and Utah and adjacent parts of Idaho and California, U.S. Geological Survey Miscellaneous Investigations Series Map I-1249, 2 sheets. Scale: 2500000
Latitude: N: 440000 S: 340000 Longitude: W 1200000 E: 1080000
- 1370 Heyl, A.V., 1963, Oxidized zinc deposits of the United States, part 2, Utah, U.S. Geological Survey Bulletin 1135-B, p. B1-B104, pl. 9. Scale: 1200
Latitude: N: 390100 S: 390030 Longitude: W 1114830 E: 1114820
- 1371 Heyl, A.V., 1978, Redmond silver mine, Redmond district, Sevier County, Utah, Utah Geological Association Publication 7, p. 73-75, fig. 2. Scale: 1800
Latitude: N: 390100 S: 390050 Longitude: W 1114830 E: 1114820
- 1842 Hintze, L.F., 1962, Geology of the southern Wasatch Mountains and vicinity, Utah - A symposium, Brigham Young University Geology Studies v. 9, pt. 1, 104 p.. Scale: 125000
Latitude: N: 401640 S: 392815 Longitude: W 1120000 E: 1112820
- 842 Hintze, L.F., 1963, Geologic map of Utah (southwest quarter), Utah Geological and Mineralogical Survey Report to the Utah State Land Board . Scale: 250000
Latitude: N: 392230 S: 370000 Longitude: W 1140300 E: 1113730
- 1430 Hintze, L.F., 1963, in Heylmun, E.B., editor, Guidebook to the geology of southwestern Utah - Transition between Basin-Range and Colorado Plateau provinces Lower Paleozoic of southwestern Utah, Intermountain Association of Petroleum Geologists Guidebook Twelfth Annual Field Conference, 232 p.. Scale: 250000
Latitude: N: 393000 S: 370000 Longitude: W 1140200 E: 1113500
- 827 Hintze, L.F.; compiler, 1980, Geologic map of Utah, Utah Geological and Mineral Survey Map A-1. Scale: 500000
Latitude: N: 420000 S: 370000 Longitude: W 1140300 E: 1090300
- 844 Hintze, L.F.; Stokes, W.L., 1963, Geologic map of Utah (southeast quarter), Utah Geological and Mineralogical Survey Report to the Utah State Land Board . Scale: 250000
Latitude: N: 392230 S: 370000 Longitude: W 1113730 E: 1090000
- 2477 Hintze, L.F.; Willis, G.C.; Laes, D.Y.M.; Sprinkel, D.A.; Brown, K.D., 2000, Digital Geologic Map of Utah, Utah Geological Survey Map 179DM compact disc. Scale: 500000
Latitude: N: 420000 S: 370000 Longitude: W 1140400 E: 1090000
- 707 Hunt, R.E., 1948, The geology of the Dry Canyon region, Gunnison Plateau, Utah, Columbus, Ohio State

University M.S. thesis 90 p..

Latitude: N: 392500

Scale: 24000

S: 391930

Longitude: W 1114500

E: 1113930

Ref#

- 708 Hunt, R.E., 1950, The geology of the northern part of the Gunnison Plateau, Utah, Columbus, Ohio State University Ph.D. dissertation 267 p.. Scale: 31680
Latitude: N: 394400 S: 392800 Longitude: W 1115230 E: 1114230
- 1296 John, E.C., 1964, Petrology and petrography of the intrusive igneous rocks of the Levan area, Juab County, Utah, Brigham Young University Geology Studies v.11, p. 67-96, pl. 1. Scale: 48000
Latitude: N: 393500 S: 392700 Longitude: W 1115230 E: 1114600
- 929 John, E.C., 1964, Petrology and petrography of the intrusive igneous rocks of the Levan area, Juab County, Utah, Provo, Utah, Brigham Young University M.S. thesis pl. 1. Scale: 48000
Latitude: N: 393500 S: 392700 Longitude: W 1115230 E: 1114600
- 1057 Johnson, J.L., 1978, Stratigraphy of the coal-bearing Blackhawk Formation on North Horn Mountain, Wasatch Plateau, Utah, Utah Geological and Mineral Survey Utah Geology v. 5, no. 1, p. 55-77, fig. 3. Scale: 58000
Latitude: N: 391730 S: 391030 Longitude: W 1111430 E: 1110730
- 704 Johnson, M.S., 1949, Geology of the Twelve-Mile Canyon area, central Utah, Columbus, Ohio State University M.S. thesis 91 p.. Scale: 31680
Latitude: N: 391100 S: 390030 Longitude: W 1114500 E: 1113330
- 2537 Johnson, S.Y.; Johnson, R.C., 1991, Stratigraphic and time-stratigraphic cross sections of phanerozoic rocks along line A-A', Uinta and Piceance Basin area-Eagle Basin, Colorado, to Eastern Basin and Range area, Utah, U.S. Geological Survey Miscellaneous Investigations Series Map I-2184-A. Scale: 500000
Latitude: N: 410000 S: 390000 Longitude: W 1130000 E: 1070000
- 711 Khan, M.A., 1967, General geology and sulfide mineralization of Dry Canyon and vicinity, Gunnison Plateau, Sanpete County, Utah, Salt Lake City, University of Utah M.S. thesis 145 p., pl. 1. Scale: 20000
Latitude: N: 392600 S: 391930 Longitude: W 1114500 E: 1113830
- 1166 Kitzmiller, J.M., II, 1981, Geology of Joes Valley Reservoir quadrangle, Sanpete and Emery Counties, Utah, Provo, Utah, Brigham Young University M.S. thesis . Scale: 24000
Latitude: N: 392230 S: 391500 Longitude: W 1112230 E: 1111500
- 516 Kitzmiller, J.M., II, 1982, Preliminary geologic map of the Joes Valley Reservoir quadrangle, Emery and Sanpete Counties, Utah, Utah Geological and Mineral Survey Map 67, 6 p.. Scale: 24000
Latitude: N: 392230 S: 391500 Longitude: W 1112230 E: 1111500
- 719 Kucera, R.E., 1954, Geology of the Joes Valley and North Dragon area, Utah, Columbus, Ohio State University M.S. thesis 210 p.. Scale: 31680
Latitude: N: 393000 S: 391230 Longitude: W 1112130 E: 1111330
- 2254 Lawton, T.F.; Weiss, M.P., 1994, Interim geologic map of the Wales quadrangle, Sanpete County, Utah, Utah Geological Survey Open-File Report 312, 94 p.. Scale: 12000
Latitude: N: 393000 S: 392400 Longitude: W 1114130 E: 1113730
- 2253 Lawton, T.F.; Weiss, M.P., 1994, Interim geologic map of the Wales quadrangle, Sanpete County, Utah, Utah Geological Survey Open-File Report 312, 94 p.. Scale: 24000
Latitude: N: 393000 S: 392230 Longitude: W 1114500 E: 1113730
- 2475 Lawton, T.F.; Weiss, M.P., 1999, Geologic map of the Wales quadrangle, Juab and Sanpete Counties,

Utah,

Utah Geological Survey Miscellaneous Publication 99-2, 29 p., pl. 1. Scale: 24000
Latitude: N: 393000 S: 392230 Longitude: W 1114500 E: 1113730

Ref#

2530 Ludeke, R.G.; Smith, R.L., 1978, Map showing distribution, composition, and age of late Cenozoic volcanic

centers in Colorado, Utah, and southwestern Wyoming, U.S. Geological Survey Miscellaneous Investigations

Series Map I-1901-B. Scale: 1000000

Latitude: N: 420000 S: 370000 Longitude: W 1140000 E: 1020000

2191 Mattox, S.R., 1986, Provisional geologic map of the Hells Kitchen Canyon SE quadrangle, Sanpete County,

Utah, Utah Geological and Mineral Survey Open-File Report 90, 26 p., pl. 1. Scale: 24000

Latitude: N: 392230 S: 391500 Longitude: W 1115230 E: 1114500

2145 Mattox, S.R., 1986, The geology of the Hells Kitchen Canyon SE quadrangle, Sanpete County, Utah, De Kalb,

Northern Illinois University M.S. thesis . Scale: 24000

Latitude: N: 392230 S: 391500 Longitude: W 1115230 E: 1114500

1494 Mattox, S.R., 1987, Provisional geologic map of the Hells Kitchen Canyon SE quadrangle, Sanpete County,

Utah, Utah Geological and Mineral Survey Map 98, 17 p., pl. 1. Scale: 24000

Latitude: N: 392230 S: 391500 Longitude: W 1115230 E: 1114500

1497 Mattox, S.R., 1989, The geology of the Gunnison quadrangle, Sanpete County, Utah, Utah Geological and

Mineral Survey Open-File Report 146, 39 p.. Scale: 24000

Latitude: N: 391500 S: 390730 Longitude: W 1115230 E: 1114500

2018 Mattox, S.R., 1992, Provisional geologic map of the Gunnison quadrangle, Sanpete County, Utah, Utah Geological Survey Map 139, 11 p., pl. 1. Scale: 24000

Latitude: N: 391500 S: 390730 Longitude: W 1115230 E: 1114500

2571 Morris, H.T., 1987, Preliminary geologic structure map of the Delta 2 degree quadrangle and adjacent areas,

west-central Utah, U.S. Geological Survey Open-File Report OF 87-189. Scale: 500000

Latitude: N: 401500 S: 390000 Longitude: W 1140000 E: 1113000

714 Muessig, S.J., 1951, Geology of a part of Long Ridge, Utah, Columbus, Ohio State University Ph.D. dissertation 213 p., pl. 1. Scale: 31680

Latitude: N: 395700 S: 392800 Longitude: W 1120130 E: 1115000

2204 Osterwald, F.W.; Bennetti, J.B., Jr.; Dunrud, C.R.; Maberry, J.O., 1971, Field instrumentation studies of earth

tremors and their geologic environments in central Utah coal mining areas, U.S. Geological Survey Professional Paper 693, fig. 15. Scale: 62500

Latitude: N: 393300 S: 392630 Longitude: W 1110730 E: 1110030

715 Pashley, E.F., Jr., 1956, The geology of the western slope of the Wasatch Plateau between Spring City and

Fairview, Utah, Columbus, Ohio State University M.S. thesis 115 p.. Scale: 31680

Latitude: N: 394100 S: 392730 Longitude: W 1112800 E: 1111830

2503 Petersen, D.H., 1997, Geologic map of the Hayes Canyon quadrangle, Sanpete County, Utah, Utah Geological Survey Miscellaneous Publication 97-3, 18 p., pl. 1. Scale: 24000

Latitude: N: 391500 S: 390730 Longitude: W 1120000 E: 1115230

2155 Peterson, David, 1990, The structure and stratigraphy of the Hayes Canyon quadrangle, Utah, Provo, Utah,

Brigham Young University M.S. thesis 49 p.. Scale: 24000

Latitude: N: 391500 S: 390730 Longitude: W 1120000 E: 1115230

2049 Peterson, David, 1992, Interim geologic map of the Hayes Canyon quadrangle, Sanpete County, Utah,

Utah

Geological Survey Open-File Report 233, 57 p., pl. 1.

Scale: 24000

Latitude: N: 391500 S: 390730

Longitude: W 1120000 E: 1115230

Ref#

1013 Pratt, A.R.; Callaghan, Eugene, 1970, Land and mineral resources of Sanpete County, Utah, Utah Geological

and Mineralogical Survey Bulletin 85, 69 p., pl. 1. Scale: 250000

Latitude: N: 394700 S: 390000 Longitude: W 1120000 E: 1110000

1701 Richardson, G.B., 1907, Underground water in Sanpete and central Sevier Valleys, Utah, U.S. Geological

Survey Water Supply Paper W-199, pl. 2. Scale: 250000

Latitude: N: 394000 S: 383100 Longitude: W 1121700 E: 1112200

2520 Sanchez, J.D.; Brown, T.L., 1983, Stratigraphic framework and coal resources of the upper Cretaceous Blackhawk Formation in the Muddy Creek and Nelson Mountain areas of the Wasatch Plateau coal field,

Manti

30'x60' quadrangle, Emery, Sevier, and Sanpete Counties, U.S. Geological Survey Coal Investigations Map

C-94-A, sh. 1. Scale: 24000

Latitude: N: 390730 S: 390000 Longitude: W 1113230 E: 1111000

2522 Sanchez, J.D.; Brown, T.L., 1986, Stratigraphic framework and coal resources of the upper Cretaceous Blackhawk Formation in the Trail Mountain and East Mountain areas of the Wasatch Plateau coal field,

Manti

30'x60' quadrangle, Emery County, Utah, U.S. Geological Survey Coal Investigations Map C-94-C, sh. 1. Scale: 24000

Latitude: N: 392230 S: 391500 Longitude: W 1111730 E: 1110230

2521 Sanchez, J.D.; Brown, T.L., 1987, Stratigraphic framework and coal resources of the upper Cretaceous Blackhawk Formation in the Ferron Canyon and Rock Canyon areas of the Wasatch Plateau coal field,

Manti

30'x60' quadrangle, Emery and Sanpete Counties, Utah, U.S. Geological Survey Coal Investigations Map C-94-B, sh. 1. Scale: 24000

Latitude: N: 391500 S: 390730 Longitude: W 1112230 E: 1110730

486 Sanchez, J.D.; Hayes, P.T., 1979, Geologic map and coal resources of the Flagstaff Peak quadrangle, Emery, Sanpete, and Sevier Counties, Utah, U.S. Geological Survey Coal Investigations Map C-83.

Scale: 24000

Latitude: N: 390730 S: 390000 Longitude: W 1112230 E: 1111500

1844 Speiker, E.M., 1931, The Wasatch Plateau coal field, Utah, U.S. Geological Survey Bulletin 819, p. 77-98, pl.

31. Scale: 62500

Latitude: N: 395000 S: 391500 Longitude: W 1111800 E: 1105000

115 Speiker, E.M., 1931, The Wasatch Plateau coal field, Utah, U.S. Geological Survey Bulletin 819, p. 77-98, pl.

32. Scale: 62500

Latitude: N: 391500 S: 384500 Longitude: W 1113000 E: 1110000

1752 Speiker, E.M., 1949, in Speiker, E.M., The transition between the Colorado Plateaus and the Great Basin in

central Utah Transition between the Colorado Plateaus and the Great Basin in central Utah, Utah Geological

Society Guidebook to the Geology of Utah no. 4, p. 3-83, pl. 1. Scale: 125000

Latitude: N: 393300 S: 385030 Longitude: W 1115035 E: 1111100

1263 Speiker, E.M.; Billings, M.P., 1940, Glaciation in the Wasatch Plateau, Utah, Geological Society of America

Bulletin v. 51, p. 1173-1198, pl. 5. Scale: 125000

Latitude: N: 394500 S: 392500 Longitude: W 1112500 E: 1111000

1791 Stokes, W.L.; Cohenour, R.E., 1956, Geologic atlas of Utah, Emery County, Utah Geological and

Mineralogical

Survey Bulletin 52, 92 p., pl. 1-38. Scale: 125000

Latitude: N: 393000 S: 383000

Longitude: W 1111700 E: 1100000

838 Stokes, W.L.; compiler, 1962, Geologic map of Utah (northwest quarter), Utah Geological and Mineralogical

Survey Report to the Utah State Land Board . Scale: 250000

Latitude: N: 420000 S: 392230

Longitude: W 1140300 E: 1113730

Ref#

- 784 Stokes, W.L.; Madsen, J.H., Jr.; compilers, 1961, Geologic map of Utah (northeast quarter), Utah Geological and Mineralogical Survey Report to the Utah State Land Board . Scale: 250000
Latitude: N: 420000 S: 392230 Longitude: W 1113730 E: 1090000
- 2560 Stover, C.W.; Reagor, B.G.; Algermissen, S.T., 1986, Seismicity map of the state of Utah, U.S. Geological Survey Miscellaneous Field Studies Map MF-1856. Scale: 1000000
Latitude: N: 420000 S: 370000 Longitude: W 1140300 E: 1090300
- 710 Taylor, D.A., 1948, The geology of the Gunnison Plateau front in the vicinity of Wales, Utah, Columbus, Ohio State University M.S. thesis 55 p.. Scale: 24000
Latitude: N: 393230 S: 392600 Longitude: W 1114130 E: 1113830
- 962 Taylor, J.M., 1979, Geology of the Sterling quadrangle, Sanpete County, Utah, Provo, Utah, Brigham Young University M.S. thesis . Scale: 24000
Latitude: N: 391500 S: 390730 Longitude: W 1114500 E: 1113730
- 1691 Taylor, J.M., 1980, Geology of the Sterling quadrangle, Sanpete County, Utah, Brigham Young University Geology Studies v. 27, pt. 1, p. 117-135, fig. 4. Scale: 24000
Latitude: N: 391500 S: 390730 Longitude: W 1114500 E: 1113730
- 713 Vogel, J.W., 1957, The geology of southern-most Juab Valley and adjacent highlands, Juab County, Utah, Columbus, Ohio State University M.S. thesis 152 p.. Scale: 31680
Latitude: N: 393000 S: 392230 Longitude: W 1120000 E: 1115230
- 705 Washburn, G.R., 1948, Geology of the Manti Canyon area, central Utah, Columbus, Ohio State University M.S. thesis 67 p.. Scale: 31680
Latitude: N: 392000 S: 391330 Longitude: W 1114000 E: 1113000
- 1975 Weiss, M.P., 1990, Geology of the Sterling quadrangle, Sanpete County, Utah, Utah Geological and Mineral Survey Open-File Report 195, 119 p.. Scale: 24000
Latitude: N: 391500 S: 390730 Longitude: W 1114500 E: 1113730
- 2268 Weiss, M.P., 1994, Geologic map of the Sterling quadrangle, Sanpete County, Utah, Utah Geological Survey Map 159, 26 p., pl. 1. Scale: 24000
Latitude: N: 391500 S: 390730 Longitude: W 1114500 E: 1113730
- 810 Weiss, M.P.; compiler, 1965, Geologic map of the Flagstaff and related formations, Utah, Columbus, Ohio State University [published privately by Malcolm P. Weiss] unpublished map . Scale: 250000
Latitude: N: 404000 S: 371000 Longitude: W 1115000 E: 1112500
- 2587 Weiss, M.P.; McDermott, J.G.; Sprinkel, D.A.; Banks, R.L.; Biek, R.F., 2001, Interim geologic map of the Chriss Canyon quadrangle, Juab and Sanpete Counties, Utah, Utah Geological Survey Open-File Report 383, 61 p.. Scale: 24000
Latitude: N: 393000 S: 392230 Longitude: W 1115230 E: 1114500
- 2469 Weiss, M.P.; Sprinkel, D.A., 2000, Interim geologic map of the Manti 7.5' quadrangle, Sanpete County, Utah, Utah Geological Survey Open-File Report 372, 37 p.. Scale: 24000
Latitude: N: 392230 S: 391500 Longitude: W 1114500 E: 1113730

2217 Willis, G.C., 1989, Geologic map of the Redmond Canyon quadrangle, Sanpete and Sevier Counties, Utah,

Utah Geological and Mineral Survey Open-File Report 163, 56 p.. Scale: 24000

Latitude: N: 390730 S: 390000 Longitude: W 1120000 E: 1115230

2031 Willis, G.C., 1991, Geologic map of the Redmond Canyon quadrangle, Sanpete and Sevier Counties, Utah,

Utah Geological Survey Map 138, 17 p., pl. 1. Scale: 24000

Latitude: N: 390730 S: 390000 Longitude: W 1120000 E: 1115230

Ref#

- 703 Wilson, M.D., 1949, The geology of the upper Sixmile Canyon area, central Utah, Columbus, Ohio State University M.S. thesis 106 p.. Scale: 31680
Latitude: N: 391445 S: 390930 Longitude: W 1113915 E: 1113145
- 469 Witkind, I.J., 1981, Reconnaissance geologic map of the Redmond quadrangle, Sanpete and Sevier Counties, Utah, U.S. Geological Survey Miscellaneous Investigations Series Map I-1304-A. Scale: 24000
Latitude: N: 390730 S: 390000 Longitude: W 1115230 E: 1114500
- 2277 Witkind, I.J., 1994, The role of salt in the structural development of central Utah, U.S. Geological Survey Professional Paper 1528, 145 p., fig. 13. Scale: 36000
Latitude: N: 390200 S: 385900 Longitude: W 1115400 E: 1115100
- 2278 Witkind, I.J., 1994, The role of salt in the structural development of central Utah, U.S. Geological Survey Professional Paper 1528, 145 p., fig. 15. Scale: 37000
Latitude: N: 391045 S: 390730 Longitude: W 1114500 E: 1114120
- 2279 Witkind, I.J., 1994, The role of salt in the structural development of central Utah, U.S. Geological Survey Professional Paper 1528, 145 p., fig. 19. Scale: 37000
Latitude: N: 391130 S: 390900 Longitude: W 1114700 E: 1114200
- 2280 Witkind, I.J., 1994, The role of salt in the structural development of central Utah, U.S. Geological Survey Professional Paper 1528, 145 p., fig. 21. Scale: 39000
Latitude: N: 391430 S: 391200 Longitude: W 1114200 E: 1113740
- 2281 Witkind, I.J., 1994, The role of salt in the structural development of central Utah, U.S. Geological Survey Professional Paper 1528, 145 p., fig. 24. Scale: 29000
Latitude: N: 393000 S: 392815 Longitude: W 1114100 E: 1113730
- 2282 Witkind, I.J., 1994, The role of salt in the structural development of central Utah, U.S. Geological Survey Professional Paper 1528, 145 p., fig. 27. Scale: 39000
Latitude: N: 390245 S: 390015 Longitude: W 1114815 E: 1114500
- 2283 Witkind, I.J., 1994, The role of salt in the structural development of central Utah, U.S. Geological Survey Professional Paper 1528, 145 p., fig. 30. Scale: 24000
Latitude: N: 392135 S: 392010 Longitude: W 1120000 E: 1115900
- 2297 Witkind, I.J., 1994, The role of salt in the structural development of central Utah, U.S. Geological Survey Professional Paper 1528, 145 p., fig. 66. Scale: 34000
Latitude: N: 390130 S: 390015 Longitude: W 1115000 E: 1114800
- 2276 Witkind, I.J., 1994, The role of salt in the structural development of central Utah, U.S. Geological Survey Professional Paper 1528, 145 p., fig., 12. Scale: 20000
Latitude: N: 390145 S: 390000 Longitude: W 1114832 E: 1114728
- 2326 Witkind, I.J., 1995, Geologic map of the Price 1° x 2° quadrangle, Utah, U.S. Geological Survey Miscellaneous Investigations Series Map I-2462. Scale: 250000
Latitude: N: 400000 S: 390000 Longitude: W 1120000 E: 1100000
- 1056 Witkind, I.J.; Lidke, D.J.; McBroome, L.A., 1978, Preliminary geologic map of the Price 1° x 2° quadrangle, Utah, U.S. Geological Survey Open-File Report OF 78-465. Scale: 250000
Latitude: N: 400000 S: 390000 Longitude: W 1120000 E: 1100000
- 1867 Witkind, I.J.; Sprinkel, D.A., 1982, in Nielson, D.L., editor, Overthrust belt of Utah Salt diapirism in central Utah, Utah Geological Association Publication 10, p. 315-330, fig. 13. Scale: 48000
Latitude: N: 390245 S: 390015 Longitude: W 1114815 E: 1114500

Ref#

- 1886 Witkind, I.J.; Weiss, M.P.; Brown, T.L., 1982, Preliminary geologic map of the Manti 30'x 60' quadrangle, Carbon, Emery, Juab, and Sevier Counties, Utah, U.S. Geological Survey Open-File Report OF 82-654.
Scale: 100000
Latitude: N: 393000 S: 390000 Longitude: W 1120000 E: 1110000
- 1066 Witkind, I.J.; Weiss, M.P.; Brown, T.L., 1987, Geologic map of the Manti 30'x 60' quadrangle, Carbon, Emery,
Juab, Sanpete, and Sevier Counties, Utah, U.S. Geological Survey Miscellaneous Investigations Series
Map I-1631. Scale: 100000
Latitude: N: 393000 S: 390000 Longitude: W 1120000 E: 1110000
- 730 Zeller, H.D., 1949, Geology of the west-central portion of the Gunnison Plateau, Utah, Columbus, Ohio
State University M.S. thesis 38 p.. Scale: 31680
Latitude: N: 393000 S: 392230 Longitude: W 1115230 E: 1114500

